

Generation WH8338EP

Centon Generation WH8338EP is a luxury family heater with a powerful 5.5 kW element which gives comfortable hot water even at, maximum water flow.

Centon Kenya Limited are the sole importers of Centon Heaters in Kenya and support a three year written warranty of the heating element and a one year warranty on the motor of the pump.

The Generation WH8338EP comes with the following features:

- Electronic variable temperature control.
- Multi spray pulsation sensation.

Other Features

- Thermal cut out prevents over heating.
- High and Low water pressure.
- Splash proof panel.
- Anti-leak tank.
- Built in **Residual Current Device (RCD)**.
- On/Off water saver with a new pop-start regulated stop valve.
- Booster pump with a more powerful electronic variable speed controller of 120W pump giving more showers against non-pump models.


Safety Features

- Flip Start Flow Switch – the electrical supply to the unit will only activate, once the water flows through the system.
- Anti Scalding – with a built in thermal cut out, once the temperature in the system reaches 55°C the power supply is cut off, to the heating element thereby preventing scalding.
- Anti-Leak Clamp Tank Design – the storage tank in the system has a rubber seal preventing leakage into the system.
- **Residual Current Device (RCD)**, safety – protects against electric shock due to a spike or surge in the power supply.

Technical Specifications

- Heater Electrical Rating – Available in 5.5 kW, 220-240V A.C, 50/60Hz
- Minimum Water Flow Rate – 2 litres/min
- Maximum Water pressure – 3.87kg f/cm²(55psi)
- Water Temperature Control – Electronic Control
- Water Connection – 15mm dia. (1/2" BSP)

- Dimensions – 240mm x 525mm x 115mm (H)
- Weight – 3.90kgs
- Pump Electrical Rating – 120W, 220-240VA.C, 50/60Hz



Multi-Spray Hand Set

Shower Hand Set selection allows users to select preferred shower spray pattern for optimum shower sensation.



Built-in AC Booster Pump

Boosting shower water flow as much as 4.5 times for bathrooms that do not have enough water pressure.



Stepless Electronic Control

Allows users to make fine power adjustment to produce desired shower temperature.



Splash-Proof Casing

Protection against water jet spray from all possible directions.



Built-in RCD

Life-saving device which cuts off power supply in the event of current leakage, protecting users from getting electric shock.



Built-in Voltage Surge Protector

Protects internal electrical circuit from electrical surges and voltage spikes, including those caused by lightning.



Built-in Flow Sensor

Cuts off power supply in the event where water flow is less than the rated flow that might result in internal overheating.



Double Function Thermostat

Additional manual reset function in the event of abnormal temperature rise, protecting users from the risk of scalding.



UK Technology Heating Element

Advanced heating technology providing users with instant hot shower water flow, with a guaranteed 3-year warranty.



Unlimited Capacity Hot Water Supply

Tankless instantaneous water heater technology provides on-demand constant supply of hot water instantly without the need of waiting.



Triple Function Right Angle Stop Valve

Smooth 90° water flow control valve with regulator and built-in mesh filter to prevent foreign particles from flowing into the heating element, causing unwanted damages / blockages.